


AD-A122 593 SILVLATED TETRAHYDROFURAN DERIVATIVES(U) UNION CARBIDE 171
CORP TARRYTOWN NY C L SCHILLING 03 DEC 82 TR-82-1
N00014-81-C-0682



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AL A122593

FILE COPY

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 82-1	2. GOVT ACCESSION NO. AD-A122593	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Silylated Tetrahydrofuran Derivatives		5. TYPE OF REPORT & PERIOD COVERED Interim Technical Report
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Curtis L. Schilling, Jr.		8. CONTRACT OR GRANT NUMBER(s) N00014-81-C-0682
9. PERFORMING ORGANIZATION NAME AND ADDRESS Union Carbide Corporation Tarrytown, New York		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS Chemistry Branch Office of Naval Research Arlington, Virginia 22217		12. REPORT DATE 3 December 1982
		13. NUMBER OF PAGES Four (4)
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Technical Report Distribution List This document has been approved for public release and sale; its distribution is unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Prepared for Publication in J. Organometal. Chem.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Silanes Tetrahydrofuran Potassium		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) 2-Trimethylsilyltetrahydrofuran and 2-(2-trimethylsilylethyl)tetrahydrofuran have been isolated from dechlorinations of mixtures of silane monomers by potassium metal in tetrahydrofuran solvent. These low yield products may involve the common intermediacy of the 2-tetrahydrofuryl anion or the 2-tetrahydrofuryl radical and its trapping by trimethylchlorosilane and vinyltrimethylsilane.		

DTIC
EXTRACTED
DEC 20 1982
H

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N C102-014-86011

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

82

003

OFFICE OF NAVAL RESEARCH
CONTRACT N00014-81-C-0682
TECHNICAL REPORT 82-1

SILYLATED TETRAHYDROFURAN DERIVATIVES

by

Curtis L. Schilling, Jr.

Prepared for Publication in
Organometallics

Union Carbide Corporation
Tarrytown, New York 10591

3 December 1982

Reproduction in whole or in part is permitted for any purpose
of the United States Government.

This document has been approved for public release and sale;
its distribution is unlimited.

SILYLATED TETRAHYDROFURAN DERIVATIVES

Curtis L. Schilling, Jr.
Union Carbide Corporation
Silicones 220, Technical Center
Tarrytown, New York 10591

ABSTRACT

2-Trimethylsilyltetrahydrofuran and 2-(2-trimethylsilylethyl)tetrahydrofuran have been isolated from dechlorinations of mixtures of silane monomers by potassium metal in tetrahydrofuran solvent. These low yield products may involve the common intermediacy of the 2-tetrahydrofuryl anion or the 2-tetrahydrofuryl radical and its trapping by trimethylchlorosilane and vinyltrimethylsilane.

INTRODUCTION

Numerous reactions have been run in tetrahydrofuran (THF) solvent wherein products which arise by hydrogen abstraction from the solvent are isolated. For example, treatment of gem-dibromocyclopropanes with methylmagnesium bromide yields monobromocyclopropanes¹. Grignard^{2,3} or lithium⁴ reactions of organopolyhalides with trimethylchlorosilane yield products in which halogens have been replaced by hydrogens. Triphenylsilyllithium⁵ and α,ω -dilithio-perphenylpolysilanes⁶ react with dichloromethane to yield triphenylmethylsilane and α,ω -dimethylperphenylpolysilanes, respectively.



2-Lithiotetrahydrofuran is proposed as a product of the reaction of n-butyllithium with THF^{7,8} with mass spectral evidence for monodeuterotetrahydrofuran when the reaction is quenched with D₂O⁷. Deprotonation of THF by a bicyclononadienyl anion has also been reported⁹.

DTIC
COPY
INSPECTED


Accession For	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
DTIC ORA-1			
DTIC TAB			
Unannounced			
Justification			
by			
Distribution/			
Availability Codes			
Avail and/or			
at Special			

4

Active metal dechlorinations of mixtures of silane monomers, including chlorosilanes, vinylic silanes, and chloromethyl silanes have yielded polycarbosilane precursors for silicon carbide.¹⁰ Certain of these reactions, run using potassium metal in THF as the dechlorinating medium, have provided 2-trimethylsilyltetrahydrofuran (I) or 2-(2-trimethylsilyl)ethyl-tetrahydrofuran (II) in relatively low yields, in addition to the expected products.



Isolable quantities of I were obtained from the reaction of trimethylchlorosilane with dichloromethane using K metal in THF. Addition of a mixture of $\text{Me}_3\text{SiCl}/\text{CH}_2\text{Cl}_2$ to refluxing THF/molten K metal suspension



at a rate maintaining the reflux temperature above 64°, followed by cooling, cautious termination with aqueous THF, and neutralization with conc. HCl yielded a group of products including I (5.3% yield based on Me_3SiCl).

Preparative gas chromatography yielded a pure sample with appropriate NMR/mass spectra and elemental analyses ($\text{C}_7\text{H}_{16}\text{OSi}$, Calc'd: % C, 58.33, % H, 11.11, % Si, 19.44; Found: % C, 58.39, % H, 11.15, % Si, 19.66).

Similarly, dechlorination of ethyltrichlorosilane in the presence of vinyltrimethylsilane



yields a branched polycarbosilane + II (0.12% yield). A purified sample provided correct NMR/mass spectra and elemental analyses ($\text{C}_9\text{H}_{20}\text{OSi}$, Calc'd: % C, 62.79, % H, 11.63, % Si, 16.28; Found: % C, 63.03, % H, 11.87, % Si, 16.04. Yields of II up to 2.9% have been obtained from other reactions.

The isolations of I and II support the intermediacy of the 2-tetrahydrofuryl anion or the 2-tetrahydrofuryl radical. The anionic intermediate is more likely in the formation of I via simple displacement of chloride from Me_3SiCl . Compound II could form via a free radical process, or by Michael addition of an anionic intermediate to $\text{CH}_2=\text{CHSiMe}_3$. Both radical and anionic intermediates may be involved in a common pathway with K metal transforming 2-tetrahydrofuryl radicals to 2-tetrahydrofuryl anions by electron transfer. Our attempts to prepare I by quenching an *n*-butyllithium/THF solution⁷ with Me_3SiCl were unsuccessful, while treatment of a refluxing solution of THF/ $\text{CH}_2=\text{CHSiMe}_3$ with benzoyl peroxide or azobisisobutyronitrile (method of reference 11) provided a very low yield of II.

ACKNOWLEDGEMENTS

The laboratory assistance of D. A. Williams and J. Alfonso is gratefully acknowledged, as is work on mass spectra by B. Waldman and prep GC by G. Heylmun plus helpful discussions with G. J. Murphy and J. Ritscher. This research was supported in part by the Office of Naval Research.

REFERENCES

1. D. Seyferth and B. Prokai, J. Org. Chem. 1966, 31, 1702.
2. R. L. Merker and M. J. Scott, J. Am. Chem. Soc. 1963, 85, 2243.
3. R. L. Merker and M. J. Scott, J. Org. Chem. 1964, 29, 953.
4. R. L. Merker and M. J. Scott, J. Organometal. Chem. 1965, 4, 98.
5. H. Gilman and D. Aoki, Chem. and Ind. (London) 1960, 1165.
6. P. K. Sen, T. B. Brennan, and H. Gilman, J. Indian Chem. Soc. 1974, 51, 561.
7. R. B. Bates, L. M. Kroposki, and D. E. Potter, J. Org. Chem. 1972, 37, 560.
8. R. J. Crawford, Diss. Abstr. Int. B 1971, 31, 5254.
9. M. V. Moncur and I. B. Grutzner, J. Am. Chem. Soc. 1973, 95, 6449.
10. C. L. Schilling, T. C. Williams, and J. P. Wesson, Report 1981, TR-80-1, Order No. AD-A099030; Chem. Abstr. 1982, 95, 170175q.
11. G. Ahlgren, J. Org. Chem. 1973, 38, 1369.

1093M/103M

TECHNICAL REPORT DISTRIBUTION LIST, GEN

	<u>No. Copies</u>		<u>No. Copies</u>
Office of Naval Research Attn: Code 413 800 North Quincy Street Arlington, Virginia 22217	2	Naval Ocean Systems Center Attn: Mr. Joe McCartney San Diego, California 92152	1
ONR Pasadena Detachment Attn: Dr. R. J. Marcus 1030 East Green Street Pasadena, California 91106	1	Naval Weapons Center Attn: Dr. A. B. Amster, Chemistry Division China Lake, California 93555	1
Commander, Naval Air Systems Command Attn: Code 310C (H. Rosenwasser) Department of the Navy Washington, D.C. 20360	1	Naval Civil Engineering Laboratory Attn: Dr. R. W. Drisko Port Hueneme, California 93401	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12	Dean William Tolles Naval Postgraduate School Monterey, California 93940	1
Dr. Fred Saalfeld Chemistry Division, Code 6100 Naval Research Laboratory Washington, D.C. 20375	1	Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380	1
U.S. Army Research Office Attn: CRD-AA-IP P. O. Box 12211 Research Triangle Park, N.C. 27709	1	Naval Ship Research and Development Center Attn: Dr. G. Bosmajian, Applied Chemistry Division Annapolis, Maryland 21401	1
Mr. Vincent Schaper DTNSRDC Code 2803 Annapolis, Maryland 21402	1	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1
Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1	Mr. A. M. Anzalone Administrative Librarian PLASTEC/ARRADCOM Bldg 3401 Dover, New Jersey 07801	1

TECHNICAL REPORT DISTRIBUTION LIST, 356B

	<u>No. Copies</u>		<u>No. Copies</u>
Dr. G. L. Shilling Union Carbide Corporation Chemical and Plastics Tarrytown Technical Center Tarrytown, New York	1	Dr. G. Goodman Globe-Union Incorporated 5757 North Green Bay Avenue Milwaukee, Wisconsin 53201	1
Dr. R. Soulen Contract Research Department Pennwalt Corporation 900 First Avenue King of Prussia, Pennsylvania 19406	1	Dr. E. Fischer, Code 2853 Naval Ship Research and Development Center Annapolis Division Annapolis, Maryland 21402	
Dr. A. G. MacDiarmid University of Pennsylvania Department of Chemistry Philadelphia, Pennsylvania 19174	1	Dr. Martin H. Kaufman Code 38506 Naval Weapons Center China Lake, California 93555	1
Dr. H. Allcock Pennsylvania State University Department of Chemistry University Park, Pennsylvania 16802	1	Dr. C. Allen University of Vermont Department of Chemistry Burlington, Vermont 05401	1
Dr. M. Kenney Case-Western University Department of Chemistry Cleveland, Ohio 44106	1	Professor R. Drago Department of Chemistry University of Florida Gainesville, FL 32611	1
Dr. R. Lenz University of Massachusetts Department of Chemistry Amherst, Massachusetts 01002	1	Dr. D. L. Venezky Code 6130 Naval Research Laboratory Washington, D.C. 20375	1
DR. M. David Curtis University of Michigan Department of Chemistry Ann Arbor, Michigan 48105	1	COL R. W. Bowles, Code 100M Office of Naval Research 800 N. Quincy Street Arlington, Virginia 22217	1
NASA-Lewis Research Center Attn: Dr. T. T. Serafini, MS 49-1 21000 Brookpark Road Cleveland, Ohio 44135	1	Professor T. Katz Department of Chemistry Columbia University New York, New York 10027	1
Dr. J. Griffith Naval Research Laboratory Chemistry Section, Code 6120 Washington, D.C. 20375	1	Professor James Chien Department of Chemistry University of Massachusetts Amherst, Massachusetts 01002	1

TECHNICAL REPORT DISTRIBUTION LIST, 356B

	<u>No. Copies</u>	<u>No. Copies</u>
Professor Malcolm B. Polk Department of Chemistry Atlanta University Atlanta, Georgia 30314	1	
Dr. G. Bryan Street IBM Research Laboratory, K32/281 San Jose, California 95193	1	
Professor Michael Moran Department of Chemistry West Chester State College West Chester, Pennsylvania 19401	1	
Dr. K. Paciorek Ultrasystems, Inc. P. O. Box 19605 Irvine, California 92715	1	
Dr. D. B. Cotts SRI International 333 Ravenswood Avenue Menlo Park, California 94025	1	
Professor D. Seyferth Department of Chemistry Massachusetts Institute of Technology Cambridge, Massachusetts 02139	1	
Dr. Kurt Baum Fluorochem, Inc. 680 S. Ayon Avenue Azusa, California 91702	1	

END

FILMED

1-83

DTIC